Istruzioni per l'uso e la manutenzione

Via S.Croce n°121 z.i. 47032 Berinoro (FC) Italia

narecoluce

Jolly - Accessorio per apparecchi con imbocco Ø60mm Mistral - Accessorio per pali Ø60mm



La dichiarazione UE di conformità è disponibile e scaricabile dal sito www.marecoluce.it



Questo prodotto non deve essere smaltito come un normale rifiuto domestico

AVVERTENZE:

- LA SICUREZZA DELL' APPARECCHIO È GARANTITA SOLO CON IL RISPETTO DELLE NORME IMPIANTISTICHE VIGENTI E CON L'USO APPROPRIATO DELLE SEGUENTI ISTRUZIONI, PERTANTO È NECESSARIO CONSERVARLE.
- E' VIETATO L'USO IMPROPRIO DELL'APPARECCHIO, OGNI MANOMISSIONE DEL PRODOTTO O MODIFICA DELLO STESSO NON AUTORIZZATA DA MARECOLUCE PUO' CAUSARE DANNI A PERSONE, ANIMALI O COSE E NE FA DECADERE OGNI GARANZIA E RESPONSABILITA'.
- TOGLIERE LA TENSIONE PRIMA DI EFFETTUARE QUALSIASI TIPO DI OPERAZIONE.
- IL PRODOTTO DEVE ESSERE INSTALLATO A REGOLA D'ARTE.
- IN CASO DI DANNEGGIAMENTO, SOSTITUIRE L'INTERO ARTICOLO.
- RICADE SOTTO LA RESPONSABILITA' DELL'INSTALLATORE LA VALUTAZIONE DELL'IDONEITA' DELLA SUPERFICIE DI FISSAGGIO.

RACCOMANDAZIONI GENERALI PER LA MANUTENZIONE:


- VERIFICARE IL SERRAGGIO DELLE VITI CHE FISSANO L'ACCESSORIO.
- VERIFICARE L'INTEGRITA' DELL'ACCESSORIO: SOSTITUIRLO IN CASO DI DANNEGGIAMENTO.

Fori di fissaggio Ø6mm/120°

ISTRUZIONI PER L'INSTALLAZIONE JOLLY:

- 1. Posizionare il basamento (1) sulla superficie di installazione prevista.
- 2. Inserire il cavo di alimentazione (2) all'interno del basamento (1).
- 3. Installare l'accessorio mediante viti e tappi ad espansione non forniti in dotazione.

ATTENZIONE: scegliere viti e tappi ad espansione idonei al tipo di installazione prevista.




ISTRUZIONI PER L'INSTALLAZIONE MISTRAL:


- 1. Portare gli espansori (1) nella posizione più alta allentando le viti situate sotto il basamento (2).
- 2. Inserire il palo (3) sul codolo e serrare in modo uniforme le viti degli espansori (1).
- 3. Posizionare il basamento (2) sulla superficie di installazione prevista.
- 4. Inserire il cavo di alimentazione (4) all'interno del basamento (2) e del palo (3).
- 5. Installare l'accessorio mediante viti e tappi ad espansione non forniti in dotazione.

ATTENZIONE: scegliere viti e tappi ad espansione idonei al tipo di installazione prevista.



Use and maintenance instructions







The UE declaration of conformity can be downloaded from our website www.marecoluce.it




This product must not be disposed as a normal household waste

WARNINGS.

- THE SAFETY OF THIS PRODUCT IS GUARANTEED ONLY WITH THE RESPECT OF THE EXISTING RULES FOR THE ELECTRICAL SYSTEMS, AND WITH THE APPROPRIATE USE OF THESE INSTALLATION INSTRUCTIONS. THEREFORE IT IS NECESSARY TO KEEP THEM.
- THE IMPROPER USE OF THIS PRODUCT IS FORBIDDEN: ANY TAMPERING WITH THE PRODUCT OR MODIFICATION OF THE PRODUCT THAT IS NOT AUTHORIZED BY MARECO LUCE CAN CAUSE DAMAGE TO PEOPLE. ANIMALS OR THINGS. AND WILL VOID ANY WARRANTY OR LIABILITY.
- SWITCH OFF THE ELECTRICITY BEFORE CONDUCTING ANY KIND OF MAINTENANCE.
- THE PRODUCT MUST BE INSTALLED IN ACCORDANCE WITH BEST PRACTICE.
- IN THE EVENT OF DAMAGE, REPLACE THE WHOLE PRODUCT.
- THE INSTALLER IS RESPONSIBLE FOR CHOOSING A MOUNTING SURFACE SUITABLE FOR THE PRODUCT.

GENERAL MAINTENANCE RECOMMENDATIONS:

- CHECK THE TIGHTNESS OF THE SCREW SECURING THE ACCESSORY.
- CHECK THE INTEGRITY OF THE ACCESSORY; REPLACE IT IN THE EVENT OF DAMAGE.




INSTRUCTIONS FOR THE INSTALLATION OF JOLLY:

- 1. Place the base (1) on the mounting surface.
- 2. Insert the power supply cable (2) into the base (1).
- 3. Secure the base (1) to the mounting surface by using some screws or expansion plugs (not included).

47032 Berinoro (FC) Italia

PAY ATTENTION: Choose screws and expansion caps suitable for the type of installation that you are conducting.



INSTRUCTIONS FOR THE INSTALLATION OF MISTRAL:

- 1. Move the expanders (1) to the highest position by loosening the screws under the base (2).
- 2. Insert the pole (3) on the base and tighten evenly the screws of the expanders (1).
- 3. Position the base (2) on the mounting surface.
- 4. Insert the power supply cable (4) into the base (2) and into the pole (3).
- 5. Secure the base to the mounting surface by using some screws or expansion plugs (not included).

PAY ATTENTION: Choose screws and expansion caps suitable for the type of installation that you are conducting.

